

CERTIFICATE OF ANALYSIS No.: 2021-3526

CLIENT

SAMPLE

Raw Kief



Sample condition: SUITABLE
Sample ID: 21728
Sample type: Plant material
Batch No.: jan21

Work order: 2021-104760
Analysis ID: 2021_035
Method ID: PHL_RPC_12C
Method SOP: MET-002

Sample received: 16/02/2021
Start of analysis: 16/02/2021
End of analysis: 17/02/2021
Analyst: Janez Gerdenc

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	n/a	n/a	
CBDA - Cannabidiolic acid	13.46	0.67	<div style="width: 13.46%;"></div>
CBGA - Cannabigerolic acid	0.299	0.075	<div style="width: 0.299%;"></div>
CBG - Cannabigerol	0.173	0.043	<div style="width: 0.173%;"></div>
CBD - Cannabidiol	1.518	0.076	<div style="width: 1.518%;"></div>
THCV - Tetrahydrocannabivarin	< LOQ	n/a	
CBN - Cannabinol	< LOQ	n/a	
CBC - Cannabichromene	0.078	0.017	<div style="width: 0.078%;"></div>
THC - Δ-9-Tetrahydrocannabinol	0.122	0.021	<div style="width: 0.122%;"></div>
THCA - Δ-9-Tetrahydrocannabinolic acid	0.399	0.068	<div style="width: 0.399%;"></div>
8-THC - Δ-8-Tetrahydrocannabinol *	< LOQ	n/a	
CBL - Cannabicyclol *	0.107	0.018	<div style="width: 0.107%;"></div>

The results marked by * relate to non-accredited activity.

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

17/02/2021

Approved by:

mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar
Chief Technology Officer

End of Certificate