




Certificate of Analysis

Description: Broad Spectrum Distillate
Batch Number: D02VJ282
Sample Test Date: 03/Nov/2022
Expiry Date: 28/Oct/2024
Test Method: Cannabinoid analysis by HPLC

Cannabinoid	Specification	Result (mg/g)	Result (%w/w)
CBD (Cannabidiol)	>90%	928.3	92.83
CBDA (Cannabidolic acid)	<0.5%	ND	ND
CBDV (Cannabidvarin)	<0.8%	ND	MD
CBDVA (Cannabidvarinic Acid)	<0.02% (LOQ)	ND	ND
CBG (Cannabigerol)	>2%	32.6	3.26
CBC (Cannabinchromene)	<1%	ND	ND
CBCA (Cannabichromenic Acid)	<0.02% (LOQ)	ND	ND
Δ8 THC (Delta 8-Tetrahydrocannabinol)	<0.02% (LOQ)	ND	ND
Δ9 THC (Delta 9-Tetrahydrocannabinol)	<0.05%	ND	ND
THCA (Tetrahydrocannabinolic Acid)	<0.02% (LOQ)	ND	ND
THCV (Tetrahydrocannabivarin)	<0.02% (LOQ)	ND	ND
THCVA (Tetrahydrocannabivarinic Acid)	<0.02% (LOQ)	ND	ND
CBN (Cannabinol)	<0.02% (LOQ)	ND	ND

LOD = Limit of Detection (0.005%)
LOQ = Limit of Quantification (0.02%)
ND = Not Detected

This COA has been created by a qualified member of  Analytical Chemist Team and approved.



Chief Scientific Officer

